Seedstock Plus South Missouri Bull & Female Sale Supplement Sheet

**EPDs will be added on 3/24 to be the most current possible prior to the sale

TN Scores are part of the DNA profile from Igenity and are an indication of genetic ability to carry the genes for leptin / tenderness in mature carcasses. A higher number = more genes for tenderness

Lot #	Comments	3/2 wt	Ratio	REA	REA / cwt	MB	BF	Scrotal	Frame	TN Score	CE	BW	WW	YW	MK	CM	MW	ST	DC	RE	MB	MPI	FPI	TPI	$G
309		1305	106	12.1	1.05	2.07	0.17	37	5.7	3															
310		1390	120	12.9	1.00	2.51	0.22	34	5.8	4															
311		1370	84	11.7	0.90	4.58	0.32	42	5.3	3															
312		1275	106	11.4	1.00	2.27	0.16	33	5.3	9															
313		1515	87	13.4	0.96	2.30	0.16	37	6.2	1															
314		1510	97	13.1	0.94	2.12	0.25	36	5.7	4															
315		1315	121	12.0	1.03	1.83	0.11	33	6	1															
316		1425	124	13.6	1.05	1.80	0.29	39	5.7	6															
317		1455	109	13.1	0.98	4.12	0.34	39	5.8	4															
318		1310	117	12.0	1.05	2.48	0.17	38	5.9	3															
319		1525	123	13.9	1.02	2.64	0.25	38	5.8	7															
320		1350	123	11.8	0.97	2.30	0.15	39	5.7	4															
321		1400	129	12.6	1.00	3.39	0.22	39	5.7	5															
322		1325	95	12.9	1.07	3.24	0.24	39	5.7	4															
323		1505	115	17.3	1.24	2.06	0.14	37	6.3	7															
324		1680	152	13.6	1.03	2.22	0.28	37	5.8	3															
325		1310	143	14.3	1.26	2.23	0.15	38	5.9	3															
326		1370	107	15.3	1.28	2.46	0.25	36	5.6	3															
327		1370	116	11.9	0.97	3.12	0.13	40	5.7	4															
328		1305	112	13.3	1.10	2.31	0.15	33	5.4	3															
329		1220	108	10.5	0.95	2.08	0.17	34	5.8	3															
330		1385	138	13.8	1.17	2.35	0.15	38	5.9	4															
331		1030	80	11.3	1.19	3.42	0.15	34	5.7	4															
332		1565	130	14.9	1.05	2.48	0.24	38	5.8	5															
333	SCRATCH																								
334		1445	94	14.6	1.08	1.95	0.21	38	5.8	5															
335		1335	109	13.8	1.14	2.27	0.15	34	5.7	3															
336		1200	125	11.6	1.09	2.08	0.20	39	5.3	4															
337		1235	91	13.3	1.10	3.45	0.17	38	5.3	4															
338		1310	90	14.8	1.22	2.45	0.22	35	5.7	4															
339		1330	109	12.0	1.02	2.21	0.21	37	5.6	7															
340		1250	92	11.7	1.06	1.69	0.17	37	5.6	6															
341		1285	98	12.0	1.02	3.28	0.18	37	5.8	3															

Lot #	Comments	3/2 wt	Ratio	REA	REA / cwt	MB	BF	Scrotal	Frame	TN Score	CE	BW	WW	YW	MK	CM	MW	ST	DC	RE	MB	MPI	FPI	TPI	$G
342		1225	80	12.7	1.20	2.28	0.16	34	5.7	7															
343		1380	104	12.6	1.03	2.91	0.35	38	5.6	7															
344		1395	102	12.9	1.00	3.11	0.18	38	6	6															
345		1410	106	15.7	1.23	3.01	0.14	36	5.9	4															
346		1200	105	12.1	1.07	1.98	0.15	37	5.6	3															
347		1150	110	11.2	1.09	2.75	0.20	33	5.7	9															
348	SCRATCH																								
349		1270	93	14.0	1.22	1.82	0.14	36	5.8	10															
350		1115	94	12.8	1.24	3.57	0.24	35	5.3	7															
351		1405	98	12.3	0.97	2.89	0.34	37	5.5	8															
352		1365	97	14.4	1.26	2.94	0.28	38	5.8	5															
353		1195	88	14.1	1.21	2.29	0.15	37	5.6	1															
354		1330	92	12.4	1.00	2.15	0.28	35	5.7	4															
355		1280	83	14.2	1.19	2.38	0.39	39	5.6	5															
356		1190	97	13.5	1.25	2.32	0.20	38	5.7	1															
357		1310	105	11.9	1.02	2.81	0.19	37	5.7	3															
358		1340	93	12.6	1.08	3.25	0.22	37	5.9	5															
359		1310	91	13.1	1.12	2.17	0.17	37	5.8	7															
360	SCRATCH																								
361		1230	100	12.0	1.10	2.41	0.26	37	5.9	6															
362		1335	108	13.9	1.11	3.12	0.15	36	6.1	5															
363		1130	84	11.7	1.15	2.01	0.18	37	5.6	3															
364		1030	82	10.1	1.09	3.66	0.23	37	5.6	7															
365		1295	100	14.7	1.26	3.87	0.30	34	5.8	7															
366		1100	84	12.3	1.25	1.91	0.11	38	5.5	6															
367		1110	91	12.4	1.24	2.97	0.30	32	5.5	4															
368		1120	97	12.7	1.29	3.10	0.23	31	6.1	4															
369		1210	116	15.1	1.37	2.73	0.27	36	5.7	4															
370		1200	105	15.4	1.41	3.18	0.20	35	5.7	8															
371		1115	108	12.0	1.18	2.05	0.13	33	5.9	5															
372		1060	98	10.6	1.05	3.04	0.27	34.5	5.7	7															
373	SCURS	1105	101	12.9	1.27	2.43	0.21	35	5.7	1															
374		1245	110	12.1	1.05	3.30	0.24	34	6.3	5															
375		1170	124	13.3	1.23	3.31	0.28	35	5.7	1															
376		1240	93	15.1	1.27	2.38	0.14	37	6.1	7															
377		1100	74	13.6	1.28	2.29	0.17	35	5.6	4															

Lot #	Comments	3/2 wt	Ratio	REA	REA / cwt	MB	BF	Scrotal	Frame	TN Score	CE	BW	WW	YW	MK	CM	MW	ST	DC	RE	MB	MPI	FPI	TPI	$G
378		1170	84	13.7	1.22	3.20	0.21	36	5.9	4															
379		1205	105	13.5	1.17	2.81	0.15	40	5.7	3															
380		1165	126	13.3	1.23	2.84	0.17	34	5.8	3															
381		1185	92	14.1	1.23	3.36	0.20	33	6	4															
382		1370	110	14.1	1.03	3.25	0.27	38	6.1	4															
383	SCRATCH																								
384		1265	130	13.8	1.13	2.11	0.13	38	6.2	5															
385		1195	111	14.0	1.24	2.80	0.15	37	6.4	4															
386		1160	95	12.9	1.17	2.65	0.16	32	5.6	3															
387		1165	108	14.8	1.56	3.05	0.19	39	5.9	7															
388		1110	98	14.8	1.38	4.04	0.19	33	5.8	4															
389		1145	115	16.4	1.52	2.15	0.11	34	6.4	5															
390		1195	91	13.1	1.15	2.33	0.17	35	6.1	4															
391		1045	88	14.6	1.53	2.96	0.18	35	5.7	4															
392		1080	84	14.9	1.38	2.98	0.15	35	6.1	3															
393		1100	91	16.1	1.46	2.99	0.19	33	5.6	4															
394		1135	100	15.0	1.32	2.21	0.20	33	6	1															
395		1210	137	13.9	1.27	2.34	0.17	33	5.9	5															
396		985	91	13.5	1.32	2.64	0.17	38	6	4															
397	BD typo: 11/5/24	1165	89	10.6	0.98	2.44	0.22	35	5.7	5															
398		1225	122	11.6	1.06	2.59	0.19	40	5.9	5															
399		1185	86	12.0	1.15	1.98	0.17	37	5.9	1															
400		1190	84	12.9	1.19	1.71	0.16	38	5.3	7															
401	SCRATCH																								
402		1300	80	11.9	0.98	2.09	0.18	42	5.3	4															
403		1400	101	12.7	1.00	2.53	0.23	35	5.6	4															
404		1300	88	15.1	1.29	1.70	0.11	35	5.7	3															
405	SCRATCH																								
406		1340	88	12.5	1.02	3.22	0.23	40	6	8															
407		1290	110	14.3	1.28	2.04	0.17	37	5.7	9															
408		1235	97	12.5	1.14	2.69	0.15	33	5.2	6															
409		1300	100	12.2	1.01	3.31	0.22	34	5.5	7															
410		1290	82	14.7	1.24	2.39	0.16	40	6.2	5															
411		1200	118	13.4	1.24	2.68	0.18	38	5.7	4															
412		1235	141	12.2	1.13	2.09	0.11	39	5.9	6															
413		1085	98	12.5	1.26	2.20	0.14	35	5.6	5															

Lot #	Comments	3/2 wt	Ratio	REA	REA / cwt	MB	BF	Scrotal	Frame	TN Score	CE	BW	WW	YW	MK	CM	MW	ST	DC	RE	MB	MPI	FPI	TPI	$G
414		1025	87	13.5	1.44	1.91	0.13	33	5.6	7															
415		1315	88	13.4	1.07	1.60	0.11	37	5.6	1															
416		1230	87	14.1	1.27	1.86	0.15	35	5.4	3															
417		1025	84	11.7	1.24	1.68	0.11	35	5.6	9															
418		1315	90	12.8	1.03	3.07	0.18	38	5.3	4															
419		1290	104	12.3	1.03	1.96	0.27	37	6	4															
420		1115	84	12.2	1.19	3.33	0.17	38	6	4															
421		1080	91	13.6	1.58	1.81	0.10	36	5.6	3															
422		1065	93	10.7	1.09	1.83	0.14	34	5.7	3															
423		1095	104	12.2	1.26	2.56	0.15	35	5.6	4															
424		1085	94	11.7	1.21	1.73	0.16	38	5.7	4															
425		1065	101	11.3	1.20	2.30	0.21	32	5.6	3															
426		1150	107	11.8	1.90	2.56	0.19	35	6.3	6															
427		1165	114	13.0	1.21	2.03	0.20	40	5.8	3															
428		1150	111	11.8	1.12	2.27	0.16	35	6	6															
429		1095	94	12.8	1.20	2.59	0.17	37	5.7	6															
430		1060	104	11.4	1.20	2.33	0.12	36	5.7	4															
431		1170	111	14.6	1.29	2.27	0.17	38	5.7	4															
432		1025	92	11.9	1.21	1.93	0.11	34	5.8	4															
433		1025	80	10.8	1.05	3.51	0.21	36	5.7	1															
434		990	82	13.9	1.41	4.13	0.25	36	5.9	1															
435	SCRATCH																								
436		1045	97	12.4	1.22	1.90	0.15	36	5.7	7															
437	SCRATCH																								
438		1180	114	15.0	1.25	3.44	0.27	37	6.1	4															